




裕祥集团
YUUSYOU GROUP

深圳电子商务商会副会长单位 东莞网商会会员企业 湖南卫视《快乐垂钓》指定救生衣厂家
广东渔船渔机渔具协会常务理事单位 中国杯帆船指定救生衣厂家 广东卫视合作伙伴

东莞市永晟救生设备有限公司
Dongguan Eyson Life-saving Equipment Co., Ltd

地址:中国广东省东莞市虎门镇新联村新兴路9号裕祥工业园
电话:+86-769-85517639 传真:+86-769-85517936
邮箱:info@cneyson.com 微信:eyson639
网址:www.cneyson.com





Startse from1999

着力现在 放眼未来

Strive, for a better future



长风破浪会有时
直挂云帆济沧海

Our culture

[Enterprise vision]: Determined to be your brand solutions provider with one-stop six-star service

[Enterprise mission]: Provide safer & fashionable life-saving equipment for outdoor enthusiasts.

Reflect the value of enterprise, employee, society. Take responsibility of society.

[Enterprise spirit]: Justice, unite, surpass, win-win

[Quality policy]: Quality first; Full attention; Continuous improvement.

企业文化

企业愿景：立志成为“救生设备”行业一站式六星级服务的品牌方案解决商。

企业使命：为户外运动爱好者提供更加安全时尚的救生产品，

体现企业、员工、社会的价值，为社会承担责任。

企业精神：正道、齐心、超越、共赢

质量方针：客户为先、品质为本、全员重视、持续改进

经营理念：我们的发展前提：经济效益与社会效益的共同发展；

我们的工作作风：严谨务实与大胆创新的有机结合；

我们的管理模式：人文管理与严格管理的和谐统一；

我们的处事原则：坚持原则的同时拥有广阔的胸怀

Group image



GROUP SYNOPSIS

集团简介 | 裕祥集团

>> Norst Sea group

裕祥集团创立于2009年3月，集团总部位于一座高度发达的美丽城市-深圳。旗下拥有多家全资：裕祥实业发展有限公司、东莞永晟救生设备有限公司、深圳天佑君贸易有限公司及深圳天佑君救生设备有限公司。

目前，裕祥已发展成为集研发、定制生产、销售为一体的超大规模产业集团；引进国内外的先进管理经验，制定并推行了具有裕祥特色的管理体系，形成了具有裕祥特色的高效管理机制。

裕祥集团本着“客户为本，质量为先，全员重视，持续改进”的质量方针，产品远销日本、美国、德国、法国、丹麦、挪威、芬兰、澳大利亚、新西兰等十几个国家。现已成为中国及国际大型帆船赛事的战略合作伙伴。

未来十年，裕祥将继续坚持“敬业、诚信、责任、卓越”的企业精神，构筑裕祥品质力、品牌力市场力，稳步向行业领军企业迈进。



Founded in 2009, Yuusyou Group Co., Ltd. headquartered in highly modern city - Shenzhen, China, which now wholly-owned a number of subsidiaries, namely Yuusyou industrial development Ltd., Eyson Lifesaving Equipment Co., Ltd., Shenzhen TYJ trade Co. Ltd. and Shenzhen TYJ Lifesaving Equipment Co., Ltd..

Yuusyou specializes in manufacturing lifesaving equipment, small household appliances, mini camera etc. which owns three brand: YUUSYOU, EYSON, and TYJ. We provide service including the development, customization manufacturing, and solution.

Yuusyou has kept being innovative and focusing on the management of enterprise in the latest 5 years. We introduced advanced managing from all over the world and formed distinctive and high-effective manage system of our own.

Our principle is "Quality first; Full attention; Continuous improvement". Due to our quality and service, the products are welcomed by customers from all over the world including Japan, the USA, Germany, France, Denmark, Norway, Finland, Australia, New Zealand etc., now we are in the strategic partnership with both domestic and international Large-scale Yacht Races



North Bund, the Bund source, the north road business
street's overall plan, causes

目录 CONTENT

► 企业公司篇 Enterprise

- 公司介绍篇
- 公司发展历程篇
- 公司团队介绍篇
- 公司荣誉介绍篇
- 公司活动介绍篇
- 公司设备介绍

► 公司救生衣篇 Group image

- 钓鱼救生衣
- 船用救生衣
- 救生衣设备配件



► 公司简介 The company introduces

东莞市永晟救生设备有限公司是裕祥集团旗下全资子公司，成立于2011年。位于中国时装名城-东莞市虎门镇，毗邻广州、深圳。紧临国际布料交易中心。是一家专业生产制造救生衣、救生设备和器材的企业，产品广泛运用于船舶、石油、海事及户外运动等领域。

东莞市永晟救生设备有限公司自成立以来，始终坚持“客户为本，质量为先，全员重视，持续改进”的质量方针，已成为裕祥集团两大支柱之一，产品拥有YUUSYOU、Eyson两大品牌；主要生产和销售各种：中、高档泡沫救生衣、配件（自主设计研发的Eyson装置、美国进口装置以及CO2微储气瓶）及优势产品充气式救生衣等。

“永晟”在救生设备行业积累了丰富的技术和管理经验，并拥有销售、管理、生产技术的骨干团队；获取了ISO9001生产管理体系认证，严格按照SOLAS/LSA和msc.81(70)等国际标准要求进行生产，产品经中国船级社CCS及农业部渔业船舶检验局的检验认可，并通过欧共体CE认证，已拥有多项产品外观及技术专利。产品远销日本、美国、法国、丹麦、挪威、芬兰、希腊、澳大利亚、新西兰、香港、台湾、东南亚等国家和地区，并一直深受国外客户的青睐和一致好评。

公司加大品牌推广，不断拓展国际市场，强力推动企业规模升级，为救生设备产业再创佳绩。经过“裕祥”人的不断努力，“永晟”不仅成为国内救生设备行业的领头羊，同时也已成为东莞本土在国际上最具有市场竞争力的专业制造企业之一，并以崭新的姿态和前所未有的速度向前发展。

Dongguan Eyson Life-saving Equipment Co.,Ltd, founded in 2011, is a subsidiary of abundant auspicious group wholly owned subsidiary, which locates in China fashion city--Humen Town, Dongguan City, adjacent to Guangzhou, Shenzhen, and near the international clothes trade center. We are a company specializing in manufacturing jackets, rescue equipments and facilities, whose products are widely used in ships, oil industry, maritime affairs, outdoor sports and other fields. Dongguan Eyson Life-saving Equipment Co.,Ltd always adhere to the policy of "customer for this, quality first, full attention, continuous improvement" since its foundation, which has become one of the two abundant auspicious group pillars--Yuusyou and Eyson. The main products and sales are various medium and top grade foamed jackets, accessories (autonomous design research and development of micro Eyson device, the United States imported device and CO2 gas bomb) and advantages products inflatable life jackets, etc.

Yuusyou-- in the life-saving equipment industry, has accumulated rich experience in technology and management, and has the backbone team of sales, management, production technology. Obtained the ISO9001 management system certificate, produced strictly in accordance with SOLAS/LSA and MSC.81(70) and other international standards for production. Products are inspected by China classification society CCS and fishing vessel inspection bureau, and the CE certificate of European Union, has a number of product appearance and technical patents. Products are exported to Japan, the United States, France, Denmark, Norway, Finland, Greece, Australia, New Zealand, Hong Kong, Taiwan, Southeast Asia and other countries and regions, and has been favored and praised by foreign customers.

公司历程—— 我们走过的责任历程 Business with ethics

Business with ethics integrity professional win


-
- 2009年2月
裕祥实业发展有限公司成立
 - 2010年3月
深圳天佑君贸易有限公司成立
 - 2011年9月
深圳天佑君救生设备有限公司成立
 - 2011年10月
取得 YUSYOU 及 TVJ 商标专利
 - 2012年6月
东莞市永晟救生设备有限公司成立
 - 2012年9月
永晟取得工业生产许可证并通过
ISO9001:2008 质量管理体系认证
 - 2012年10月
成为东莞网商协会会员企业单位
 - 2012年10月
成为中国帆船赛指定救生衣厂家
 - 2013年6月
永晟救生衣通过欧盟国 CE 认证
 - 2013年6月
成为湖南卫视快乐垂钓指定救生衣厂家
 - 2013年8月
YUSYOU 及 EYSON 在日本取得
得商标专利
 - 2014年1月
深圳现代电子科技有限公司成立
 - 2014年7月
集团董事长黄少怀接受广东电视台采访
 - 2014年10月
永晟救生衣取得中国船级社 CCS 认证
及意大利 RINA 的 EC 认证
 - 2014年10月
成为深圳电子商务商会副会长单位
 - 2014年11月
成为东莞虎门跨境电商协会理事单位

公司团队与服务——同舟共济扬帆起 乘风破浪万里航

我们一起走过的日子

Business with ethics

Business with ethics integrity professional win



Service Idea 服务理念

1. Professional: Scientific manage, outstanding technology.
专业: 科学管理、领先科技
2. Integrity: Honest and trustworthiness.
诚信: 诚实守信、公平公证
3. Efficient: Fast, accurately response.
高效: 快速反应、准确应对
4. Intimate: Thoughtful service, consider what you think.
贴心: 管家服务、想你所想



公司荣誉证书—— 我们一起走过的日子 Business with ethics

Business with ethics integrity professional win

•Russia •Canada
•Europe •China •United States



COMPANY ACTIVITIES 公司活动 <<<

2011年，裕祥团队受邀参加海南博鳌亚洲论坛以“包容性发展：共同议程与全新挑战”为主题的论坛，图为裕祥团队在博鳌亚洲论坛的集体留影。

In 2011, our team was invited to participate in the Hainan forum for Asian Boshark "inclusive development: common agenda and new challenges" as the theme of the forum, the graph is YUUSYOU team in Bo shark forum of Asia of collective pictures.



2013年，由裕祥指定合作的湖南卫视中国户外猎鲈大赛·总决赛圆满结束，图为此次活动的活动各合作单位和选手合影。

In 2013, hold by the Hunan TV China cooperation YUUSYOU specified outdoor huntingperch competition, the finals ended, the graph is the photo of the activities of various partners and the players.



2012年，裕祥正式启动全国扶贫计划，第一站和首个扶贫计划为“贵州省扶贫助学计划”，图为裕祥团队第一项扶贫计划的实施合照。

In 2012, YUUSYOU officially launched the national poverty alleviation plan, the first station and the first poverty alleviation plan for "the Guizhou province poverty alleviation plan", the graph is the implementation of the first poverty alleviation of plan YUUSYOU team.



图为裕祥团队不远万里，开车深入贵州大山实施“贵州扶贫助学计划”的合影留念。

The graph is YUUSYOU team traveled to drive deep mountains of Guizhouimp lementation of the "photo Guizhou poverty alleviation plan" as a souvenir.



团队梧桐山拓展训练结束留影。

The Wutong Mountain team development training end photo.



2013年年终晚会一角。

The corner of a 2013 end-year party.

PRODUCTION EQUIPMENTS 公司机械 <<<



1、吹气管及充气装置底座熔接车间
Blow pipe and the inflating device base welding workshop



2、工业缝纫机
Industrial sewing machine



3、卷布机
Batching machine



4、气囊压制车间
Air bag pressing workshop



5、生产车间
Production workshop



6、充气测试室
Pneumatic testing room



整合国际知名行业管理人才、技术专家资源
走进企业生产一线考察现状与问题
解决桎梏企业生产技术提高及营销思路的瓶颈，
帮助企业赢得持续竞争优势。

CCEMENFECH FORUM

我们的成绩之裕祥案例



ESSF-1



■ ESSF-1主要技术参数 Technical parameters

- 材料: 防水涤纶牛津布
- 尺寸:
- 中码:1650毫米-1800毫米
- 大码:1800毫米-1950毫米
- 加大码:1950毫米-2050毫米
- 净重: 5.00千克±0.3千克
- 包装: 2个/PP袋 装1箱
- 箱子尺寸: 550*320*500mm
- 证书: EC/CCS
- Material:waterproof polyester
- oxford
- Size:
- M:1650-1800mm
- L:1800mm-1950mm
- XL:1950mm-2050mm
- N.W: 5.00kg±0.3kg
- Packing:2pcs each packed in poly-bag/carton carton
- measure:550*320*500mm
- Certification: EC/CCS

ESSF- II



■ ESSF- II 主要技术参数 Technical parameters

- 材料:潜水布料 (6毫米)
- 中码:1650毫米-1800毫米
- 大码:1800毫米-1950毫米
- 加大码:1950毫米-2050毫米
- 净重: 5.00千克±0.3千克
- 包装: 2个/PP袋 装1箱
- 箱子尺寸: 550*320*500毫米
- 证书: EC/CCS

- Material: Neoprene (6mm thickness)Size:
- M:1650-1800mm
- L:1800mm-1950mm
- XL:1950mm-2050mm
- N.W: 5.00kg±0.3kg
- Packing:2pcs each packed in poly-bag/carton carton
- size:550*320*500mm
- Certification: EC/CCS

RSF-111



■ RSF-111主要技术参数 Technical parameters

- 材料: 潜水布料 (6毫米厚)
- 尺寸:
- 中码:1650毫米-1800毫米
- 大码:1800毫米-1950毫米
- 加大码:1950毫米-2050毫米
- 净重: 5.00千克±0.3千克
- 包装: 2个/PP袋 装1箱
- 证书: EC
- 符合的标准: 2009/26/EC; SOLAS 74/78

- Material: Neoprene (6mm thickness)
- M:1650-1800mm
- L:1800mm-1950mm
- XL:1950mm-2050mm
- N.W: 5.00kg±0.3kg
- Packing:2pcs each packed in poly-bag/carton carton
- size:550*320*500mm
- Certification: EC
- Conforms to 2009/26/EC;SOLAS 74/78

■ 船用救生衣



ESSCY-A4

■ ESSCY-A4主要技术参数 Technical parameters

- 材质: 涤纶牛津布
- 浮力材料: EPE 泡沫
- 反光片类型: SOLAS 反光片
- 腰带: 黑色塑料扣安全腰带
- 营救绳: 1920毫米
- 配件: 口哨, 救生灯
- 浮力: ≥147N
- 面积: 600毫米×300毫米
- 证书: CCS/EC
- 符合的标准: 2009/26/EC,SOLAS74;1994 and 200HSC Code 8;IMO Res.MSC.48(66)-(LAS Code) I , II ;IMO Res.msc.81(70)as amended by MSC.200(80),MSC.207(81), MSC.218(82)

- Fabric:Polyester Oxford
- Buoyancy Material:EPE foam
- Reflective Tape:SOLAS reflective tape
- Belt:Black webbing belt with plastic buckle
- Rescue rope:1920mm length line
- Accessories:Whistle and light
- Buoyancy:≥147N
- Dimensions:600mm×300mm
- Certification:CCS/EC
- Standard: 2009/26/EC,SOLAS74;1994 and 200HSC Code 8;IMO Res.MSC.48(66)-(LAS Code) I , II ;IMO Res.msc.81(70)as amended by MSC.200(80),MSC.207(81), MSC.218(82)



ESSCY-A5

■ ESSCY-A5主要技术参数 Technical parameters

- 材质: 涤纶牛津布
- 浮力材料: EPE 泡沫
- 反光片类型: SOLAS 反光片
- 腰带: 黑色塑料扣安全腰带
- 营救绳: 1920毫米
- 配件: 口哨, 救生灯
- 浮力: ≥147N
- 面积: 530毫米×400毫米
- 证书: CCS/EC
- 符合的标准: 2009/26/EC,SOLAS74;1994 and 200HSC Code 8;IMO Res.MSC.48(66)-(LAS Code) I , II ;IMO Res.msc.81(70)as amended by MSC.200(80),MSC.207(81), MSC.218(82)

- Fabric:Polyester Oxford
- Buoyancy Material:EPE foam
- Reflective Tape:SOLAS reflective tape
- Belt:Black webbing belt with plastic buckle
- Rescue rope:1920mm length line
- Accessories:Whistle and light
- Buoyancy:≥147N
- Dimensions:530mm×400mm
- Certification:CCS/EC
- Standard: 2009/26/EC,SOLAS 74;1994 and 200HSC Code 8;IMO Res.MSC.48(66)-(LAS Code) I , II ;IMO Res.msc.81(70)as amended by MSC.200(80),MSC.207(81), MSC.218(82)

船用救生衣



ESSEY-2

ESSEY-2主要技术参数 Technical parameters

- 材质: 涤纶牛津布
- 浮力材料: EPE 泡沫
- 反光片类型: SOLAS 反光片
- 腰带: 黑色塑料扣安全带
- 营救绳: 1920毫米
- 配件: 口哨, 救生灯
- 浮力: $\geq 88\text{N}$
- 面积: $420\text{mm} \times 280\text{mm}$
- 证书: CCS/EC
- 符合的标准: SOLAS 74/96, MSC.207(81), MSC.81(71), MSC.200(80), MSC.223(89), MSC.226(82)
- Fabric: Polyester Oxford
- Buoyancy Material: EPE foam
- Reflective Tape: SOLAS reflective tape
- Belt: Black webbing belt with plastic buckle
- Rescue rope: 1920mm length line
- Accessories: Whistle and light
- Buoyancy: $\geq 88\text{N}$
- Dimensions: $420\text{mm} \times 280\text{mm}$
- Certification: CCS/EC
- Standard: SOLAS 74/96, MSC.207(81), MSC.81(71), MSC.200(80), MSC.223(89), MSC.226(82)

ESSCY-A6主要技术参数 Technical parameters

- 成人救生衣
- 型号: RSCY-A6
- 面料: 涤纶牛津布
- 浮力材料: EPE 发泡
- 反光带: SOLAS 反光带
- 织带: 黑色织带子带塑料扣
- 救生绳: 1920毫米长
- 配件: 吹口哨和救生灯
- 浮力: $\geq 147\text{N}$
- 外形尺寸: $740\text{mm} \times 340\text{mm}$
- 证书: CCS/EC
- Fabric: Polyester Oxford
- Buoyancy Material: EPE foam
- Reflective Tape: SOLAS reflective tape
- Belt: Black webbing belt with plastic buckle
- Rescue rope: 1920mm length line
- Accessories: Whistle and light
- Buoyancy: $\geq 147\text{N}$
- Dimensions: $740\text{mm} \times 340\text{mm}$
- Certification: CCS/EC



ESSCY-A6



船用充气救生衣



SOLAS



黑色 Red 粉红色 Blue 灰色 白迷彩 绿迷彩 黄色 柠檬绿
Black Red Pink Blue Grey Navy Green Yellow Lemon

主要技术参数 Technical parameters

- 重量 $\leq 0.85\text{kg}$
 - 浮力 $\geq 150\text{N}/275\text{N}$
 - 材质: 耐久技术加工涤纶
 - 膨胀充气时间 $\leq 5\text{s}$
 - 浮力有效时间 $\geq 48\text{h}$
 - 24小时后、浮力损失率 $\leq 5\%$
 - CO₂ 重量: 33g/60g X2个
 - 附属品: 口哨1个, 反光片两片, 气瓶2个, EYSON 充气装置, 附有1个水敏感自动充气药片。
- 此款产品通过中国船级社CCS及RINA船级社EC认证。

- Weight $\leq 0.85\text{kg}$
- Buoyancy: $\geq 150\text{N}/275\text{N}$
- Material of Cover: Polyester Oxford
- waterproof
- Expand time $\leq 5\text{s}$
- Floating duration $\geq 24\text{h}$
- Buoyancy Loss After 24 hours: $\leq 5\%$
- Weight of CO₂: 33g/60g X2pcs
- accessories: one whistle, two reflection bands, two cylinders, EYSON inflation device and one water sensitive automatic inflatable bobbin.
- This life jacket had passed CCS certification and RINA's EC certification.

■ 充气式救生衣（脖挂式）

■ ES639716



■ ES639717



■ ES639718




■ ES639719



■ 主要技术参数 Technical parameters

- 重量 $\leq 0.75\text{kg}$
- 浮力 $\geq 150\text{N}$
- 材质：耐久拨水加工涤纶
- 膨胀充气时间 $\leq 5\text{s}$
- 浮力有效时间 $\geq 48\text{h}$
- 24小时后、浮力损失率 $\leq 5\%$
- CO2 重量: 33g
- 附属品：口哨1个，反光片两片，气瓶1个，EYSON 充气装置，如果是自动装置，附有1个国内自动充气反应电子药片
- 製品有効期: 3 years
- Weight $\leq 0.75\text{kg}$
- Buoyancy $\geq 150\text{N}$
- fabric: Polyester+Oxford
- Inflation Time $\leq 5\text{s}$
- Floating Duration $\geq 48\text{h}$
- Buoyancy loss after 24h $\leq 5\%$
- Weight Of CO2: 33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
- Validity: 3 years

■ 充气式救生衣（脖挂式）



YSH701



主要技术参数 Technical parameters

- 重量 $\leq 0.75\text{kg}$.
- 浮力 $\geq 150\text{N}$
- 材質: 耐久撥水加工涤纶
- 膨脹充气时间 $\leq 5\text{s}$
- 浮力有效时间 $\geq 48\text{h}$
- 24小時後、浮力損失率 $\leq 5\%$
- CO2 重量: 33g
- 附屬品: 口哨1个, 反光片两片, 气瓶1个, EYSON 充气装置, 如果是自动装置, 附有1个国内自动充气反应电子药片
- 製品有効期: 3 years
- Weight $\leq 0.75\text{kg}$
- Buoyancy $\geq 150\text{N}$
- Fabric: Polyester+Oxford
- Inflation Time $\leq 5\text{s}$
- Floating Duration $\geq 48\text{h}$
- Buoyancy loss after 24h $\leq 5\%$
- Weight Of CO2: 33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
- Validity: 3 years

YSH700



YSHES709



YSHES702





船舶検定品
体重150Kgまで対応

膨張式ライフジャケット救命胴衣


安心&安全
Marine wave




CCS639




- YSH706



- YSH707



- YSH708



■ 主要技术参数 Technical parameters

- 重量 $t \leq 0.75\text{kg}$.
 - 浮力 $\geq 150\text{N}$
 - 材質：耐久拔水加工涤纶
 - 膨脹充气时间 $\leq 5\text{s}$
 - 浮力有效时间 $\geq 48\text{h}$
 - 24小時後、浮力損失率 $\leq 5\%$
 - CO2 重量: 33g
 - 附屬品：口哨1个，反光片两片，气瓶1个，EYSON 充气装置，如果是自动装置，附有1个国内自动充气反应电子药片
 - 製品有効期: 3 years
-
- Weight $\leq 0.75\text{kg}$
 - Buoyancy $\geq 150\text{N}$
 - Fabric: Polyester+Oxford
 - Inflation Time $\leq 5\text{s}$
 - Floating Duration $\geq 48\text{h}$
 - Buoyancy loss after 24h $\leq 5\%$
 - Weight Of CO2: 33g
 - Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
 - Validity: 3 years

- ES639720



■ ES639731



- 主要技术参数 Technical parameters
- 重量 $\leq 0.75\text{kg}$
 - 浮力 $\geq 150\text{N}$
 - 材質: 耐久拔水加工涤纶
 - 膨胀充气时间 $\leq 5\text{s}$
 - 浮力有效时间 $\geq 48\text{h}$
 - 24小时后、浮力损失率 $\leq 5\%$
 - CO2 重量: 33g
 - 附属品: 口哨1个, 反光片两片, 气瓶1个, EYSON 充气装置, 如果是自动装置, 附有1个国内自动充气反应电子药片
 - 製品有効期: 3 years
- Weight $\leq 0.75\text{kg}$
- Buoyancy $\geq 150\text{N}$
- Fabric: Polyester+Oxford
- Inflation Time $\leq 5\text{s}$
- Floating Duration $\geq 48\text{h}$
- Buoyancy loss after 24h $\leq 5\%$
- Weight Of CO2: 33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
- Validity: 3 years

■ YSHES726



■ YSH730



■ ES639721

Fireproofing Inflatable lifejacket



- 主要技术参数 Technical parameters
- 重量 $\leq 0.75\text{kg}$
 - 浮力 $\geq 150\text{N}$
 - 材質: 耐久拔水加工涤纶
 - 膨胀充气时间 $\leq 5\text{s}$
 - 浮力有效时间 $\geq 48\text{h}$
 - 24小时后、浮力损失率 $\leq 5\%$
 - CO2 重量: 33g
 - 附属品: 口哨1个, 反光片两片, 气瓶1个, EYSON 充气装置, 如果是自动装置, 附有1个国内自动充气反应电子药片
 - 製品有効期: 3 years
- Weight $\leq 0.75\text{kg}$
- Buoyancy $\geq 150\text{N}$
- Fabric: Polyester+Oxford
- Inflation Time $\leq 5\text{s}$
- Floating Duration $\geq 48\text{h}$
- Buoyancy loss after 24h $\leq 5\%$
- Weight Of CO2: 33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
- Validity: 3 years

■ ES639730



■ YSHES72.



- 主要技术参数 Technical parameters
- 重量 $\leq 0.75\text{kg}$.
 - 浮力 $\geq 150\text{N}$
 - 材質: 耐久撥水加工涤纶
 - 膨脹充气時間 $\leq 5\text{s}$
 - 浮力有效時間 $\geq 48\text{h}$
 - 24小時後、浮力損失率 $\leq 5\%$
 - CO₂ 重量: 33g
 - 附屬品: 口哨1個, 反光片兩片, 氣瓶1個, EYSON 充气裝置, 如果是自動裝置, 附有1個國內自動充气反應電子藥片
 - 製品有効期: 3 years
 - Weight $\leq 0.75\text{kg}$
 - Buoyancy $\geq 150\text{N}$
 - Fabric: Polyester+Oxford
 - Inflation Time $\leq 5\text{s}$
 - Floating Duration $\geq 48\text{h}$
 - Buoyancy loss after 24h $\leq 5\%$
 - Weight Of CO₂: 33g
 - Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
 - Validity: 3 years

■ SM80



■ SM15



- 主要技术参数 Technical parameters
- 重量 $\leq 0.5\text{kg}$
 - 浮力 $\geq 110\text{N}$
 - 材質: 耐久撥水加工涤纶
 - 膨脹充气時間 $\leq 5\text{s}$
 - 浮力有效時間 $\geq 48\text{h}$
 - 24小時後、浮力損失率 $\leq 5\%$
 - CO₂ 重量: 24g
 - 附屬品: 口哨1個, 反光片兩片, 氣瓶1個, EYSON 充气裝置, 如果是自動裝置, 附有1個國內自動充气反應電子藥片
 - 製品有効期: 3 years
 - Weight $\leq 0.5\text{kg}$
 - Buoyancy $\geq 110\text{N}$
 - Material of Cover: Polyester Oxford waterproof
 - Expand time $\leq 5\text{s}$
 - Floating duration $\geq 48\text{h}$
 - Buoyancy Loss After 24 hours: $\leq 5\%$
 - Weight of CO₂: 24g
 - Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system and if it is Automatic inflatable system, will have one bobbin.
 - Product validity: 3 years

■ SM12



■ YSHES720



■ YSHES721



■ YSHES722



■ 主要技术参数 Technical parameters

- 重量 $\leq 0.75\text{kg}$
- 浮力 $\geq 150\text{N}$
- 材質: 耐久撥水加工涤纶
- 膨脹充氣時間 $\leq 5\text{s}$
- 浮力有效時間 $\geq 48\text{h}$
- 24小時後、浮力損失率 $\leq 5\%$
- CO₂ 重量: 33g
- 附屬品: 口哨1個, 反光片兩片, 氣瓶1個, EYSON 充氣裝置, 如果是自動裝置, 附有1個國內自動充氣反應電子藥片
- 製品有効期: 3 years
- Weight $\leq 0.75\text{kg}$
- Buoyancy $\geq 150\text{N}$
- Fabric: Polyester+Oxford
- Inflation Time $\leq 5\text{s}$
- Floating Duration $\geq 48\text{h}$
- Buoyancy loss after 24h $\leq 5\%$
- Weight Of CO₂: 33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
- Validity: 3 years

■ ES639600



■ 主要技术参数 Technical parameters

- 重量 $\leq 0.5\text{kg}$
- 浮力 $\geq 110\text{N}$
- 材質: 耐久撥水加工涤纶
- 膨脹充氣時間 $\leq 5\text{s}$
- 浮力有效時間 $\geq 48\text{h}$
- 24時間後、浮力損失率 $\leq 5\%$
- CO₂ 重量: 24g
- 附屬品: 口哨1個, 反光片兩片, 氣瓶1個, EYSON 充氣裝置, 如果是自動裝置, 附有1個國內自動充氣反應電子藥片
- 製品有効期: 3 years
- Weight $\leq 0.5\text{kg}$
- Buoyancy $\geq 110\text{N}$
- Material of Cover: Polyester Oxford waterproof
- Expand time $\leq 5\text{s}$
- Floating duration $\geq 48\text{h}$
- Buoyancy Loss After 24 hours: $\leq 5\%$
- Weight of CO₂: 24g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system and if it is Automatic inflatable system, will have one bobbin.
- Product validity: 3 years



ES639601



YSH601



ES639602



ES639603



YSHES606



主要技术参数 Technical parameters

- 重量≤0.5kg
- 浮力≥110N/130N/150N
- 材质: 耐久技术加工涤纶
- 膨胀充气时间≤5s
- 浮力有效时间≥48h
- 24小时后, 浮力损失率≤5%
- Co2 重量: 24g/30g/33g
- 附属品: 哨1个, 反光片两片, 气瓶1个, EYSON充气装置, 如果是自动装置, 附有1个国内自动充气反应电子药片。
- 製品有效期: 3 years
- Weight≤0.5kg
- Buoyancy≥110N/130N/150N
- Material of Cover: Polyester Oxford waterproof
- Expand time≤5s
- Floating duration≥48h
- Buoyancy Loss After 24 hours: ≤5%
- Weight of Co2 24g/30g/33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system and if it is Automatic inflatable system, will have one electronic pill.
- Product validity: 3 years

CCS602



YSHES602





YSHES607




主要技术参数 Technical parameters

- 重量 $\leq 0.5\text{kg}$
- 浮力 $\geq 110\text{N}$
- 材質: 耐久撥水加工涤纶
- 膨脹充氣時間 $\leq 5\text{s}$
- 浮力有效時間 $\geq 48\text{h}$
- 24時開後、浮力損失率 $\leq 5\%$
- CO₂ 重量: 24g
- 附屬品: 口哨1個, 反光片兩片, 氣瓶1個, EYSON充氣裝置, 如果是自動裝置, 附有1個國內自動充氣反應電子藥片
- 製品有效期: 3 years

- Weight $\leq 0.5\text{kg}$
- Buoyancy: $\geq 110\text{N}$
- Material of Cover: Polyester Oxford waterproof
- Expand time $\leq 5\text{s}$
- Floating duration $\geq 48\text{h}$
- Buoyancy Loss After 24 hours: $\leq 5\%$
- Weight of CO₂: 24g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system and if it is Automatic inflatable system, will have one bobbin.
- Product validity: 3 years

YSHES723



主要技术参数 Technical parameters

- 重量 $\leq 0.5\text{kg}$
- 浮力 $\geq 150\text{N}$
- 材質: 耐久撥水加工涤纶
- 膨脹充氣時間 $\leq 5\text{s}$
- 浮力有效時間 $\geq 48\text{h}$
- 24時開後、浮力損失率 $\leq 5\%$
- CO₂ 重量: 33g
- 附屬品: 口哨1個, 反光片兩片, 氣瓶1個, EYSON充氣裝置, 如果是自動裝置, 附有1個國內自動充氣反應電子藥片
- 製品有效期: 3 years

- Weight $\leq 0.5\text{kg}$
- Buoyancy: $\geq 150\text{N}$
- Material of Cover: Polyester Oxford waterproof
- Expand time $\leq 5\text{s}$
- Floating duration $\geq 48\text{h}$
- Buoyancy Loss After 24 hours: $\leq 5\%$
- Weight of CO₂: 33g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system and if it is Automatic inflatable system, will have one bobbin.
- Product validity: 3 years



■ 儿童款救生衣

ES639702



■ 主要技术参数 Technical parameters

- 重量 $\leq 0.6\text{kg}$
- 浮力 $\geq 80\text{N}$
- 材質: 耐久撥水加工涤纶
- 膨脹充气時間 $\leq 5\text{s}$
- 浮力有效時間 $\geq 48\text{h}$
- 24小時後、浮力損失率 $\leq 5\%$
- CO2 重量: 17g
- 附屬品: 口哨1個, 反光片兩片, 气瓶1個, EYSON 充气裝置, 如果是自動裝置, 附有1個國內自動充气反應電子芯片
- 製品有効期: 3 years

- Weight $\leq 0.6\text{kg}$
- Buoyancy $\geq 80\text{N}$
- Fabric: Polyester+Oxford
- Inflation Time $\leq 5\text{s}$
- Buoyancy duration $\geq 48\text{h}$
- Buoyancy loss after 24h $\leq 5\%$
- Weight Of CO2: 17g
- Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
- Validity: 3 years

ES639713



■ SM80



安全な股ベルト付き 正面

裏側
3D裁断設計
名札入VIPカード付



YSH710



YSH711



YSH713



YSH715



A2 款



B 款



背带款式



- 主要技术参数 Technical parameters
- 重量 $t \leq 0.75\text{kg}$
 - 浮力 $\geq 110\text{N}$
 - 材质: 耐久拔水加工涤纶
 - 膨胀充气时间 $\leq 5\text{s}$
 - 浮力有效时间 $\geq 48\text{h}$
 - 24小时后、浮力损失率 $\leq 5\%$
 - CO₂重量: 24g
 - 附属品: 口哨1个, 反光片两片, 气瓶1个, EYSON充气装置, 如果是自动装置, 附有1个国内自动充气反应电子药片
 - 製品有効期: 3 years
 - Weight $\leq 0.75\text{kg}$
 - Buoyancy $\geq 110\text{N}$
 - Fabric: Polyester+Oxford
 - Inflation Time $\leq 5\text{s}$
 - Floating duration $\geq 48\text{h}$
 - Buoyancy loss after 24h $\leq 5\%$
 - Weight Of CO₂: 24g
 - Accessories: one whistle, two reflection bands, one cylinder, EYSON inflation system, there is a bobbin in case of auto type
 - Validity: 3 years

- 主要技术参数 Technical parameters
- 浮力: 75N
 - 重量: (0.3KG
 - 材质: 400D MAX高强度2层PU防水涂层,
 - 内填充物材质: 高密度聚乙烯泡沫
 - 适用范围: 长期用于帆船赛事、海钓、矶钓、台钓、筏钓等救生设备
 - 配件: 口哨
 - Buoyancy: 75N
 - Weight: (0.3kg
 - Material: 400D MAX high-strength double-layered water-proof PU
 - Inner filled material: high density polyethylene foam
 - Suitable range: Usually used in sailing race, sea fishing, rock fishing, side fishing, raft fishing, etc
 - Accessories: Whistle

■ 网眼



■ 钓鱼浮力马甲



■ 主要技术参数 Technical parameters

- 材质: 420D涤纶牛津布+EVA珍珠棉
- 重量: (0.3kg)
- 适用范围: 适合各大小宠物狗, 宠物救生、宠物学游泳
- Material: 420D Polyester Oxford+EVA pearl wool
- weightless than 0.3kg
- Suitable range: all kinds of large and small pet dogs, pet life-saving, and pet swimming suit

尺寸	背长 (cm)	颈围 (cm)	胸围 (cm)	体重 (kg)	产品重量 (kg)
XXS	15	19-27	28-37	0-3	0.10
XS	21	25-35	30-42	3-7	0.15
S	26	36-47	41-53	7-9	0.16
M	30	40-48	41-63	9-23	0.20
L	35	42-54	50-75	23-40	0.25
XL	45	50-71	70-95	40	0.35
XXL	48	62-90	88-124	40-50	0.45

■ 宠物救生衣




■ 网眼迷彩马甲



■ 主要技术参数 Technical parameters

- 重量: (0.2KG)
- 材质: 复合防水布, 有口袋,
- 小号: 肩宽37CM 胸宽42CM 下摆58CM 全长53CM,
- 中号: 肩宽39CM 胸宽45CM 下摆62CM 全长57CM,
- 大号: 肩宽40CM 胸宽48CM 下摆66CM 全长61CM
- 适用范围: 长期用于海钓、台钓、筏钓等救生设备
- weight: (0.2kg)
- material: compound waterproof with pockets
- Small size: Shoulder 37CM chest breadth 42 CM lower hem 58CM whole length 53CM
- Middle size: Shoulder 39CM chest breadth 45 CM lower hem 62CM whole length 57CM
- Large size: Shoulder 40CM chest breadth 48 CM lower hem 66CM whole length 61CM
- Suitable range: Usually used in sea fishing, side fishing, raft fishing, etc

■ YSH716



钓鱼救生衣

钓鱼救生衣

泡沫救生衣



矶钓(无网)



矶钓(带网)



主要技术参数 Technical parameters

- 浮力: 75N
 - 重量: (0.3KG)
 - 材质: 400D MAX高强度2层PU防水涂层,
 - 内填充物材质: 高密度聚乙烯泡沫
 - 适用范围: 长期用于帆船赛事、海钓、矶钓、台钓、筏钓等救生设备
 - 配件: 口哨
-
- Buoyancy: 75N
 - Weight: (0.3kg)
 - Material: 400D MAX high-strength double-layered water-proof PU
 - Inner filled material: High density polyethylene foam
 - Suitable range: Usually used in sailing race, sea fishing, rock fishing, side fishing, raft fishing, etc
 - Accessory: Whistle

矶钓(迷彩)



三排扣救生衣



主要技术参数 Technical parameters

- 浮力: 75N/100N
 - 重量: (0.3KG)
 - 材质: 400D 耐久拔水加工涤纶
 - 内填充物材质: 高密度聚乙烯泡沫
 - 适用范围: 长期用于帆船赛事、海钓、矶钓、台钓、筏钓等救生设备
 - 配件: 口哨
-
- Buoyancy: 75N/100N
 - Weight: (0.3kg)
 - Material: 400D Polyester+Oxford layered water-proof PU
 - Inner filled material: High density polyethylene foam
 - Suitable range: Usually used in sailing race, sea fishing, rock fishing, side fishing, raft fishing, etc
 - Accessory: Whistle

救生设备配件



■ 主要技术参数 Technical parameters

EYSON手动充气装置、自动充气装置
Eyson Manual inflatable device/Automatic inflatable device

手动型 自动型
Manual operation automatic type

主要技术参数 Technical parameters
颜色: 灰色
适用于海洋环境
拉子: 18CM (用于悬挂式救生衣)
拉片: 22CM (用于悬挂式救生衣)
特点: EYSON装置由裕祥集团设计研发生产, 整体呈灰色, 螺丝头套有胶帽, 防止划伤救生衣气囊和人体, 经过公司反复测试, 在危机情况下可使救生衣气囊5S时间充满CO2气体。
注: 自动充气装置附有电子反应药片。

Color: Gray For the marine environment
pulling pellet: 18CM (Applied in Body-pack life jackets)
pulling piece: 22CM (Applied in Neck hanging life jackets)
Features: Eyson equipment is designed and R&D by yuusyong Group.
screw caps with plastic cap in order to prevent scratching the air bag or skin, After repeated testing, CO2 CAN be fully filled within 5s when encounter crisis situation.
PS: Automatic inflation device is accompanied with electronic reflect tablets

EYSON手动充气装置

■ 美国装置主要技术参数 Technical parameters

手动型 自动型
manual operation automatic type

特点: 美国进口Halkey Roberts装置, 知名品牌, 符合UL 1191标准, 符合ISO12402-7标准, 经过公司反复测试, 在危机情况下使救生衣气囊5S时间充满CO2气体。
注: 自动充气装置附有电子反应药片

Features: Import from United state, Halkey Roberts Device, a famous brand inflatable device supplier, conforms to UL 1191 standard and ISO12402-7 standard. After repeated tests, CO2 can be fully filled in bladder within 5s when encounter crisis situations.
PS: Automatic inflatable device is accompanied with electronic reflect bobbin.



EYSON自动充气装置



YSH-507



求救口哨

救生设备配件



YSH-506

救生灯

防水面罩



药片



气瓶

■ 药片主要技术参数 Technical parameters

国产药片 Domestic bobbin
药片主要用于自动充气式救生衣, 在安装药片时要注意药片的安装方向, 有药片的一面朝外, 药片遇水溶化, 冲针冲破气瓶, 救生衣在5秒之内充气。

Bobbins are mainly used for automatic device of inflatable life jacket, when installing a bobbin you need to pay attention to the installation direction of bobbin, filler side outwards, the bobbin will react in water, blunt needle through a cylinder inflate life jackets within 5s.

■ 气瓶主要技术参数 Technical parameters

自动手动二合一充气式救生衣用气瓶
Automatic and manual combo inflatable life jacket used cylinders
内容物: 二氧化碳气体 Inside material: CO2
浮力大小: 17g=80N; 24g=110N;
30g=130N; 33g=150N;
60g=275N;
建议: 购买救生衣时额外多买以作备用, 有效期为1年。
Flotage: 17g=80N; 24g=110N;
30g=130N; 33g=150N;
60g=275N;
Tip: Due to restriction on transportation of gas products, it is difficult to deliver this product alone, So we recommend to order extra amount of cylinders together with life jacket.
Validity: 1 year

救生圈



主要技术参数 Technical parameters

- 材质: 采用高密度聚乙烯为 体, 四条反光片
- 填充物: 高密度聚氨酯闭孔泡沫
- 尺寸: 外径720mm 内径440mm
- 浮 力: 大于145N
- 重量: 2.5KG 还有4.3KG
- product name: life-saving buoy
- material: high density polyethylene, 4 reflector tapes
- filled material: high density polyurethane obturator foam
- size: external diameter 720mm inner diameter 440mm
- Buoyancy: More than 145N
- weight: 2.5KG / 4.3KG

救生筏



型号 Type	HSR-Y-20	HSR-Y-25
形状 (俯视图) Shape	长八边形 rectangular octagon	
额定乘员 (人) Capacity (Persons)	20	25
存放筒尺寸 (mm) Packaging dimension	1230×630×550	1285×670×575
质量 (kg) Weight	≤102	≤122



型号 Type	ATOB-6	ATOB-8
形状 (俯视图) Shape	正六边形 regular hexagon	
额定乘员 (人) Capacity (Persons)	6	8
存放筒尺寸 (mm) SOLAS A PACK Container dimension	1090×Φ615	
SOLAS B PACK	1042×Φ554	
质量 (kg) Weight	≤78	≤90



型号 Type	HSR-Y-6
形状 (俯视图) Shape	正方形 square
额定乘员 (人) Capacity (Persons)	6
存放筒尺寸 (mm) Packaging dimension	815×520×480
质量 (kg) Weight	≤50



型号 Type	AOR-6
形状 (俯视图) Shape	正四边形 Square
额定乘员 (人) Capacity (Persons)	6
存放筒尺寸 (mm) Container dimension	815×Φ520
质量 (kg) Weight	≤50



型号 Type	ASR-6	ASR-8	ASR-10
形状 (俯视图) Shape	长八边形 rectangular octagon		
额定乘员 (人) Capacity (Persons)	6	8	10
存放筒尺寸 (mm) SOLAS A PACK Container dimension	1230×Φ630	1230×Φ630	1285×Φ670
SOLAS B PACK	1090×Φ615	1090×Φ615	1230×Φ630
质量 (kg) Weight	≤95	≤110	≤135



型号 Type	AOR-50	AOR-65
形状 (俯视图) Shape	正十四边形 Tetradecagon	
额定乘员 (人) Capacity (Pers)	50	65
存放筒尺寸 (mm) Container dimension	1490×Φ757	1700×Φ765
质量 (kg) Weight	≤170	≤220



■ 检测Testing

